



Address:
Yuzhuangzi Village,
Dafengdui town,
Jinghai Distr,
Tianjin

Email:
ida@xyjsteel.cn

Wechat/Mobile/Whatsapp:
+86 19822138003

XINYUANJU STEEL CO.,LTD

PRODUCTION MACHINE

four continuous rolling

Ply 1000 - 1300mm Output 0.5 - 0.3mm Speed 260m/min



five continuous rolling

Ply 1000 - 1550mm Output 0.3 - 2.5mm Speed 400m/min



six continuous rolling

Ply 510 - 750mm Output 0.3 - 2.0mm Speed 320m/min



Roll20

Ply 1000 - 1300mm Output 0.25 - 2.0mm Speed 600m/min



2B surface production line


Ply 510 - 1550mm Output 0.3 - 2.5mm Speed 200m/min



BA surface production line



PRODUCTION MACHINE



Whole roll


whole roll 8K, whole roll matte, whole roll hairline, whole roll black titanium. whole roll no fingerprints, whole roll PVD

Flat Sheet

Coil Slitting Line, Coil Slitting Line, matte surface production line, Grinding production line, Hairline production line, Single Furnace PVD Coil Production Line, sand blasting production line, Embossed production line, random pattern sheet, cross pattern sheet



Stainless Steel Coil



Stainless steel roll

The surface of the	BA
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.2mm-2.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge
use	Medical equipment, food industry Building materials



Stainless steel roll

The surface of the	No.4
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.22mm-3.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge
use	Medical equipment, food industry Building materials

HOT ROLLED COIL



Stainless steel roll


The surface of the	No.1
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	2.2mm-12.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge
use	Chemical industry

COLD ROLLED COIL



Stainless steel roll

The surface of the	2B
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.22mm-3.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge
use	Chemical industry



Stainless steel roll

The surface of the	HL
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.22mm-2.5mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge
use	Medical equipment, food industry Building materials

COLD ROLLED COIL



Stainless steel roll

The surface of the	6K, 8K
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.22mm-2.5mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge
use	Building materials

Stainless steel roll parameter list



Product	Process	Surface treatment	Steel type series	Thickness (mm)	breadth _(mm)						Use
					Main Specifications (mm)				Other (mm)		
Volume	Hot rolled	No.1	200series	2.2-12.0	1000	1219mm	1240mm	1250mm	1500mm	Customizable	Chemical industry
			300series								
			400series								
	No.2B	200series	0.22-3.0	1000	1219mm	1240mm	1250mm	1500mm	Customizable		
		300series									
		400series									
	Cold rolled	BA	200series	0.2-2.0	1000	1219mm	1240mm	1250mm	1500mm	Customizable	Medical equipment food industry Building materials
			300series								
			400series								
		No.4	200series	0.22-3.0	1000	1219mm	1240mm	1250mm	1500mm	Customizable	
			300series								
			400series								
		Hairline	200series	0.22-2.5	1000	1219mm	1240mm	1250mm	1500mm	Customizable	
			300series								
			400series								
Mirror	200series	0.22-2.5	1000	1219mm	1240mm	1250mm	1500mm	Customizable	Building materials		
	300series										
	400series										



Stainless Steel Sheet

Stainless steel plate parameter




The surface of the	BA
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.2mm-2.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1500mm/Customizable
Main dimensions(mm)	1219*2438/1219*3048/1000*2000 1219*3500/1219*4000/1500*3000 Customizable
Edge handling	rough edge/cut edge
use	Medical equipment, food industry Building materials

Stainless steel plate parameter



The surface of the	No.4
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.22mm-3.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1500mm/Customizable
Main dimensions(mm)	1219*2438/1219*3048/1000*2000 1219*3500/1219*4000/1500*3000 Customizable
Edge handling	rough edge/cut edge
use	Medical equipment, food industry Building materials

HOT ROLLED SHEET



Stainless steel plate parameter

The surface of the	No.1
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	2.2mm-12.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1500mm/Customizable
Main dimensions(mm)	1219*2438/1219*3048/1000*2000 1219*3500/1219*4000/1500*3000 Customizable
Edge handling	rough edge/cut edge
use	Chemical industry


COLD ROLLED SHEET



Stainless steel plate parameter


The surface of the	2B
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.22mm-3.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1500mm/Customizable
Main dimensions(mm)	1219*2438/1219*3048/1000*2000 1219*3500/1219*4000/1500*3000 Customizable
Edge handling	rough edge/cut edge
use	Chemical industry

Stainless steel plate parameter



The surface of the	HL
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.22mm-2.5mm
Breadth(mm)	1000mm/1219mm/1240mm 1500mm/Customizable
Main dimensions(mm)	1219*2438/1219*3048/1000*2000 1219*3500/1219*4000/1500*3000 Customizable
Edge handling	rough edge/cut edge
use	Medical equipment, food industry Building materials

COLD ROLLED SHEET



Stainless steel plate parameter

The surface of the	6K, 8K
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness(mm)	0.22mm-2.5mm
Breadth(mm)	1000mm/1219mm/1240mm 1500mm/Customizable
Main dimensions(mm)	1219*2438/1219*3048/1000*2000 1219*3500/1219*4000/1500*3000 Customizable
Edge handling	rough edge/cut edge
use	Building materials

Stainless steel plate parameter list



Product	Process	Surface treatment	Steel type series	Thickness (mm)	breadth _(mm)						Use
					Main Specifications (mm)				Other (mm)		
plate	Hot rolled	No.1	200series	2.2mm-12.0mm	1000mm	1219mm	1240mm	1250mm	1500mm	Customizable	Chemical industry
			300series								
			400series								
	No.2B	200series	0.22mm-3.0mm	1000mm	1219mm	1240mm	1250mm	1500mm	Customizable		
		300series									
		400series									
	Cold rolled	BA	200series	0.2mm-2.0mm	1000mm	1219mm	1240mm	1250mm	1500mm	Customizable	Medical equipment food industry Building materials
			300series								
			400series								
		No.4	200series	0.22mm-3.0mm	1000mm	1219mm	1240mm	1250mm	1500mm	Customizable	
			300series								
			400series								
		Hairline	200series	0.22mm-2.5mm	1000mm	1219mm	1240mm	1250mm	1500mm	Customizable	
			300series								
			400series								
	Mirror	200series	0.22mm-2.5mm	1000mm	1219mm	1240mm	1250mm	1500mm	Customizable	Building materials	
		300series									
		400series									



Color Stainless Steel Coil


COLOR STAINLESS STEEL COIL



colored stainless steel coil parameter

The surface of the	whole roll black titanium
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN TUV/BV
Thickness(mm)	0.28mm-1.45mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge


COLOR STAINLESS STEEL COIL



colored stainless steel coil parameter

The surface of the	whole roll no fingerprints
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN TUV/BV
Thickness(mm)	0.28mm-1.45mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge

COLOR STAINLESS STEEL COIL



colored stainless steel coil parameter

The surface of the	whole roll matte
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN TUV/BV
Thickness(mm)	0.22mm-3.0mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge


COLOR STAINLESS STEEL COIL



colored stainless steel coil parameter

The surface of the	whole roll 8K
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN TUV/BV
Thickness(mm)	0.28mm-1.45mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge

COLOR STAINLESS STEEL COIL



colored stainless steel coil parameter

The surface of the	whole roll PVD coating
Types of steel	200series / 300series / 400series
Standard	AISI/ASTM/SUS/JIS/DIN TUV/BV
Thickness(mm)	0.28mm-1.45mm
Breadth(mm)	1000mm/1219mm/1240mm 1250mm/1500mm/Customizable
The inner diameter(mm)	508mm, 610mm
Weight (T)	Customizable
Edge handling	rough edge/cut edge



Colored stainless steel coil parameter

	Steel type series	Product	Standard	Color series	Process	Surface treatment	thickness (mm)	breadth (mm)			Weight (mt)	Edge handling	
								Main Specifications (mm)		Other (mm)			
1	200series 300series 400series	roll	AISI、ASTM SUS、JIS DIN、TUV BV	Chrome white series	Polishing grinding	Mirror6K、Mirror8K	0.28mm- 1.45mm	1000mm	1219mm	1240mm	Customized as required	Customized as required	rough edge /cut edge
						snow sand、Pu sand drawing、Random pattern cross hairline、sandblasting	0.28mm- 1.45mm						
2	200series 300series 400series	roll	AISI、ASTM SUS、JIS DIN、TUV BV	Rose Gold Series	Vacuum plating	mirror rose gold、Snowflake Sand Rose Gold Pu sand Rose Gold、brushed rose gold Scrambled rose gold Cross grain brushed rose gold sandblasted rose gold	0.28mm- 1.0mm	1000mm	1219mm	1240mm	Customized as required	Customized as required	rough edge /cut edge
3	200series 300series 400series	roll	AISI、ASTM SUS、JIS DIN、TUV BV	Titanium Series	Vacuum plating	Mirror Titanium、Snowflake Titanium Gold Pu sand Titanium、Brushed Titanium Chaotic Titanium Cross grain brushed titanium Sandblasted Titanium	0.28mm- 1.0mm	1000mm	1219mm	1240mm	Customized as required	Customized as required	rough edge /cut edge
4	200series 300series 400series	roll	AISI、ASTM SUS、JIS DIN、TUV BV	Black titanium series	water plating (PVD)	Mirror black titanium、Snow sand black titanium Pu sand black titanium、Brushed black titanium Chaotic Black Titanium Cross pattern brushed black titanium Sandblasted black titanium	0.28mm- 1.45mm	1000mm	1219mm	1240mm	Customized as required	Customized as required	rough edge /cut edge
5	200series 300series 400series	roll	AISI、ASTM SUS、JIS DIN、TUV BV	Brown series	Vacuum plating	Mirror Brown、Snow sand brown Pu sand brown、brushed brown Random brown Cross grain brushed brown sandblasting brown	0.28mm- 1.0mm	1000mm	1219mm	1240mm	Customized as required	Customized as required	rough edge /cut edge
6	200series 300series 400series	roll	AISI、ASTM SUS、JIS DIN、TUV BV	Champagne Gold Series	Vacuum plating	mirror champagne gold Snowflake Sand Champagne Gold Pu sand Champagne gold brushed champagne gold Random pattern champagne gold Cross pattern brushed champagne gold Sandblasted Champagne Gold	0.28mm- 1.0mm	1000mm	1219mm	1240mm	Customized as required	Customized as required	rough edge /cut edge
7	200series 300series 400series	roll	AISI、ASTM SUS、JIS DIN、TUV BV	No fingerprint series	Roller paint /spray paint	Snowflake sand rose gold without fingerprints Brushed Rose Gold No Fingerprints Pu sand Rose Gold No Fingerprints Snowflake Sand Titanium No Fingerprints Brushed Titanium No Fingerprints Random Rose Gold No Fingerprints Cross Brushed Rose Gold No Fingerprints Cross Brushed Titanium No Fingerprints Sandblasted Rose Gold No Fingerprints Sandblasted titanium without fingerprints	0.28mm- 1.45mm	1000mm	1219mm	1240mm	Customized as required	Customized as required	rough edge /cut edge
8	200series 300series 400series	roll	AISI、ASTM SUS、JIS DIN、TUV BV	Copper color series	Copper	Brushed red bronze Brushed Bronze Brushed Brass	0.28mm- 1.45mm	1000mm	1219mm	1240mm	Customized as required	Customized as required	rough edge /cut edge

Color Stainless Steel Sheet

ETCHED STAINLESS STEEL SHEET



Color stainless steel plate parameters

The surface of the	Etching series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	8K Mirror/Brushed/Etched Sandblasted/PVD Color
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000mm/1219*2438mm 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs


EMBOSSED STAINLESS STEEL SHEET



Color stainless steel plate parameters

The surface of the	Embossed series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	8K Mirror/Brushed PVD Color
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000mm/1219*2438mm 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs

MIRROR STAINLESS STEEL SHEET



Color stainless steel plate parameters

The surface of the	Mirror series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	8kmirror/Etched/3D Laser/Sandbasted Stamped/PVD Cojor/Anti-Finger print
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000/1219*2438/ 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs

BRUSH STAINLESS STEEL SHEET



Color stainless steel plate parameters

The surface of the	Scrub series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	Hairline/No.4/SB/Etched/Stamped PVD Color/Anti-Finger print
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000/1219*2438/ 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs

LASER STAINLESS STEEL PLATE



Color stainless steel plate parameters

The surface of the	Laser Series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	8kmirror/Etched/PVD Cojor
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1240mm 1500mm/Customizable
length(mm)	Max 600mm/Customizable
Size(mm)	1000*2000/1219*2438/ 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs

LAMINATED STAINLESS STEEL SHEET




Color stainless steel plate parameters

The surface of the	laminated series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	Brushed
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000mm/1219*2438mm 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs

SANDBLEASTED STAINLESS STEEL SHEET

Color stainless steel plate parameters

The surface of the	Sandblasting series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	8K Mirror/Brushed/Stamped PVD Color/Anti-Finger print
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000/1219*2438/ 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs



STAMPED STAINLESS STEEL SHEET

Color stainless steel plate parameters

The surface of the	Antique copper series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	8K Mirror/Brushed/Stamped PVD Color
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000/1219*2438/ 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs



PVD COLOR COATING STAINLESS STEEL SHEET

Color stainless steel plate parameters

The surface of the	PVD series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	8K Mirror/Brushed/Stamped PVD Color/Anti-Finger print
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000/1219*2438/ 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs



ANTIQUER STAINLESS STEEL SHEET

Color stainless steel plate parameters

The surface of the	Antique copper series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	Brushed/Etched/Embossed PVD Color/Anti-finger print
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000/1219*2438/ 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs



ANTI-FINGER PRINT STAINLESS STEEL SHEET

Color stainless steel plate parameters

The surface of the	No fingerprint series
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Combination process	8K Mirror/Brushed/Etched/Embossed Stamped/PVD Color/Anti-finger print
Steel series	200series / 300series / 400series
Thickness(mm)	0.3mm-3.0mm
Width(mm)	1000mm/1219mm/1250mm 1500mm/Customizable
length(mm)	Max 6000mm/Customizable
Size(mm)	1000*2000/1219*2438/ 1219*3048mm/Customizable Max.width 1500mm
Color	Gold,Rose Gold,Black,Bronze Copper,Blue,Purple,Nickel Silver Brass,Champagne Gold,Rose Red
Pattern	Customizable
Package	Wooden pallet or customer needs



Colored stainless steel plate parameters



	Steel Series	Surface treatment		Color	Pattern	Thickness (mm)	Width (mm)				Length (mm)	
							Main specifications			Other specifications		
1	200series	Mirror series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
2	200series	Scrub series	drawing	Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
			Random pattern									
	300series		snow sand									
	400series		cross pattern Pu sand									
3	200series	Etching series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
4	200series	Embossed series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
5	200series	Sandblasting series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
6	200series	Stamping series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
7	200series	Film series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
8	200series	Laser Series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
9	200series	PVD Series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
10	200series	Antique copper series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											
11	200series	No fingerprint series		Customizable	Customizable	0.3mm-3.0 mm	1000mm	1219mm	1250mm	1500mm	Customizable	Max 6000mm & Customizable
	300series											
	400series											



Stainless Steel Strip



HOT ROLLED STRIP



Hot rolled strip parameter

The surface of the	No.1
Steel series	304 / 316 / 410 / 430 / 904 / Duplex steel
Standard	ASTM / JIS / DIN / EN GB / GOST
Thickness _(mm)	3m or more
Width _(mm)	10mm-900mm
Main dimensions _(mm)	Customizable
Edge processing	Trimming
Package	Production of welded steel pipes rim, washer, saw blade

COLD ROLLED STRIP



Cold rolled strip parameter

The surface of the	No.4 / HL / BA / MIRROR
Steel series	304 / 316 / 410 / 430 / 904 / Duplex steel
Standard	ASTM / JIS / DIN / EN GB / GOST
Thickness _(mm)	0.03mm-3mm
Width _(mm)	10mm-900mm
Main dimensions _(mm)	Customizable
Edge processing	Trimming
Package	processed colored stainless steel sheet, for strip production, with higher rolling speed



Stainless Steel Pipe

DECORATIVE TUBE



decorative tube parameters	
The surface of the	2B/No.4/HL/BA/COLORBA/MIRROR
Steel series	201/304 / 316 / 410 / 430
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness _(mm)	Greater than 0.1mm
Outer diameter	greater than 1/4 inch
Main dimensions _(mm)	Customizable
Edge processing	Trimming
Package	Construction sector, Machining, Bearing sleeve, gas delivery

STAINLESS STEEL PIPE




Welded pipe parameters	
The surface of the	No.1/2B/No.4/HL/BA/COLORBA/MIRROR
Steel series	201/304 / 316 / 410 / 430 / 904 / Duplex steel
Standard	ASTM/JIS/DIN/EN GB/GOST
Thickness _(mm)	Greater than 0.1mm
Outer diameter	greater than 1/4 inch
Main dimensions _(mm)	Customizable
Edge processing	Trimming
Package	Boiler, automobile, ship, construction, light door and window steel

SEAMLESS PIPE



Seamless pipe parameters	
The surface of the	No.1/2B/No.4/HL/BA/MIRROR
Steel series	304 / 316 / 410 / 430 / 904 / Duplex steel
Standard	ASTM / JIS / DIN / EN GB / GOST
Thickness _(mm)	Greater than 0.1mm
Outer diameter	greater than 1/4 inch
Main dimensions _(mm)	Customizable
Edge processing	Trimming
Package	Auto modification and parts production Home improvement building materials industrial equipment

SANITARY TUBE



Sanitary tube parameters	
The surface of the	BA/MIRROR
Steel series	304 / 316 / 410 / 430 / 904 / Duplex steel
Standard	ASTM / JIS / DIN / EN GB / GOST
Thickness _(mm)	Greater than 0.1mm
Outer diameter	greater than 1/4 inch
Main dimensions _(mm)	Customizable
Edge processing	Trimming
Package	Petroleum, chemical, pharmaceutical, electric power, Papermaking, Urban Drainage Pipes

STAINLESS STEEL SQUARE TUBE



square tube parameters	
The surface of the	No.1/2B/No.4/HL/BA/COLORBA/MIRROR
Steel series	201/304 / 316 / 410 / 430
Standard	AISI/ASTM/SUS/JIS/DIN/TUV BV/etc
Thickness _(mm)	Greater than 0.1mm
Outer diameter	greater than 1/4 inch
Main dimensions _(mm)	Customizable
Edge processing	Trimming
Package	Construction sector, Machining, Steel building, shipbuilding industry


STAINLESS STEEL PIPE




Heterosexual tube parameters	
The surface of the	No.1/2B/No.4/HL/BA/COLORBA/MIRROR
Steel series	201/304 / 316 / 410 / 430 /
Standard	ASTM/JIS/DIN/EN GB/GOST
Thickness _(mm)	Greater than 0.1mm
Outer diameter	greater than 1/4 inch
Main dimensions _(mm)	Customizable
Edge processing	Trimming
Package	Widely used in various structural parts, tools and mechanical parts

Packaging and Shipping


Packaging and Shipping



According to the needs of customers use wrapping paper for packaging. If the transportation period exceeds 10 days or encounters special weather, we will use waterproof packaging and add plastic film to prevent moisture and rust.



Loading: We use wooden pallets with triangles to secure the coils and wire ropes to secure the sides. So as to effectively prevent the situation of crush injury.



Stainless steel plate packaging and loading



1.Covered with PE Film



2.Wrap with waterproof paper



3.Packed with wooden plate

1. Stainless steel plate, covered with wooden boards, for protection during transportation.
2. All stainless steel sheets will be packed into strong wooden boxes.
3. Each box of goods has good support and reinforcement
4. Take pictures of container loading and seal the container
5. Shipping is fast and keeps customers informed every step of the way.

